



**SMI TECHNOLOGY
EUROPE LIMITED**

Ink-Jet Media Range

Waterbased Ink-Jet Media

Solvent-based Ink-Jet Media

Waterbased & Solvent-based Fabric Media

Telephone: +44 (0)1908 340 673

Fax: +44 (0)1908 340 672

E-Mail: info@smitecheurope.com

emmanuel@smitecheurope.com

Roll Up & Pop Up Display Films

Our display film uses high quality white polyester to give a sharp photographic image.

All our display films are instant drying and are compatible with piezo and thermal printers.

classification	product	description				
		surface	remark	total thickness	width (INCH)	length (M)
Roll Up Display Film	WMSL 210	matte	water based (aqueous), Latex, UV curable	245±5 μ m	36",42"	30M
	SMSL 210	matte	solvent-based (eco, mild), Latex, UV curable	245±5 μ m	36",42"	30M
Pop Up Display Film	WMSL 350	matte	water based (aqueous), Latex, UV curable	350±3 μ m	36",42"	30M
	SMSL 350	matte	solvent-based (eco, mild), Latex, UV curable	350±3 μ m	36",42"	30M



9 Thorpeness Croft, Tattenhoe, Milton Keynes, Buckinghamshire, MK4 3FF, UK

TEL: +44 (0)1908 340 673 FAX: +44 (0)1908 340 672 info@smitecheurope.com emmanuel@smitecheurope.com

Removable Adhesive backed Ink Jet Textile

Removable Adhesive textile can be used as wall posters, small sticky labels, sticky leaflets or even wall covering.

This unique RA textile is suitable for Digital Printing Litho Printing.

Inks: Pigment, UV, Ultrachrome, Solvent and eco-solvent based inks.

classification	product	description						
		base material	surface	water proof	total weight	total thickness	width (INCH)	length (M)
Waterbased (Aqueous) RA	PES Fabric 150 W/RA	Polyester Woven Fabric, Released PET film 50 μ m	matte	√	212g/m ²	230 μ m	17", 24", 36", 50", 60"	30M(33yds)
Solvent-based RA	PES Fabric 150 S/RA	Polyester Woven Fabric, Released PET film 50 μ m	matte	√	212g/m ²	230 μ m	40", 50", 54", 60"	30M(33yds)



SMI TECHNOLOGY
EUROPE LIMITED

9 Thorpeness Croft, Tattenhoe, Milton Keynes, Buckinghamshire, MK4 3FF, UK

TEL: +44 (0)1908 340 673 FAX: +44 (0)1908 340 672 info@smitecheurope.com emmanuel@smitecheurope.com

Waterbased (Aqueous) Ink-Jet Media

Our wide range of reliable and consistent quality media is compatible with piezo and thermal printers.
Our unique coating will bring out the best in any image.

classification	product	description						
		base material & released film (paper)	surface	ink	water proof	total thickness	width (INCH)	length (M)
POS and POP Display Paper (Tear resistant)	ACE 411	PP Synthetic Paper 80 μ m, Clear adhesive, PET 50 μ m	matte	Pigment & Dye	√	193 \pm 3 μ m	36",50",60"	30M
	ACE 412	PP Synthetic Paper 80 μ m, No released film	matte	Pigment & Dye	√	118 \pm 3 μ m	36",50",60"	30M
	ACE 413	PP Synthetic Paper 80 μ m, Gray adhesive, PET 50 μ m	matte	Pigment & Dye	√	193 \pm 3 μ m	36",50",60"	30M
	ACE 414	PP Synthetic Paper 80 μ m, Gray adhesive, PET 50 μ m	matte	Pigment	√	193 \pm 3 μ m	36",50",60"	30M
POS and POP Display PVC FILM	ACE 421	Translucent PVC Film 90 μ m, Clear adhesive, PET 75 μ m	matte	Pigment & Dye	√	228 \pm 5 μ m	36",50",60"	30M
	ACE 422	Translucent PVC Film 90 μ m, Gray adhesive, PET 75 μ m	matte	Pigment & Dye	√	228 \pm 5 μ m	36",50",60"	30M
	ACE 423	Translucent PVC Film 90 μ m, Gray adhesive, PET 75 μ m	matte	Pigment	√	230 \pm 5 μ m	36",50",60"	30M
Backlit Film 9mil	ACE 434	PET Film 175 μ m, No released film	matte	Pigment & Dye	√	213 \pm 3 μ m	36", 42", 50",60"	30M
Window Graphic Clear Film	ACE 441	PET Film 75 μ m, Clear adhesive, PET 50 μ m	glossy	Dye	X	165 \pm 3 μ m	36",50",60"	30M
	ACE 442	PET Film 100 μ m, No released film	glossy	Dye	X	110 \pm 3 μ m	36",50",60"	30M
POP Display Banner Film(PET)	ACE 471	PET Film 175 μ m, No released film	matte	Pigment & Dye	√	215 \pm 3 μ m	36",50",60"	30M
POP Display Banner Paper	ACE 481	PP Synthetic Paper 170 μ m, No released film	matte	Pigment & Dye	√	195 \pm 5 μ m	36",50",60"	30M
Photographic Paper	ACE 501	Photo paper 220gsm, No released paper	matte	Pigment & Dye	√	268 \pm 5 μ m	36",50"	30M
	ACE 502	Photo paper 220gsm, No released paper	satin	Dye	X	250 \pm 5 μ m	36",50"	30M
	ACE 503	Photo paper 220gsm, No released paper	glossy	Dye	X	245 \pm 5 μ m	36",50"	30M



SMI TECHNOLOGY
EUROPE LIMITED

9 Thorpeness Croft, Tattenhoe, Milton Keynes, Buckinghamshire, MK4 3FF, UK

TEL: +44 (0)1908 340 673 FAX: +44 (0)1908 340 672 info@smitecheurope.com emmanuel@smitecheurope.com

Solvent-based Ink-Jet Media

Our solvent-based range works well with eco and mild solvent inks. All our solvent range are made of eco friendly based materials to give you the best in image and harmless to environment

classification	product	description						
		base material & released film (paper)	surface	ink	water proof	total thickness	width (INCH)	length (M)
POS and POP Display Paper (Tear resistant)	SGSP/P	PP Synthetic Paper 80 μ m, Clear adhesive, Paper 100g/m ²	glossy	mild, eco solvent	√	255 \pm 3 μ m	42",50", 54",60"	30M
	SGSP/PG	PP Synthetic Paper 80 μ m, Gray adhesive, Paper 100g/m ²	glossy	mild, eco solvent	√	255 \pm 3 μ m	42",50", 54",60"	30M
	SMSP/P	PP Synthetic Paper 80 μ m, Clear adhesive, Paper 100g/m ²	matte	mild, eco solvent	√	250 \pm 3 μ m	42",50", 54",60"	30M
	SMSP/PG	PP Synthetic Paper 80 μ m, Gray adhesive, Paper 100g/m ²	matte	mild, eco solvent	√	250 \pm 3 μ m	42",50", 54",60"	30M
Photographic Paper	SGPP	Paper 220g/m ² , No released paper	glossy	mild, eco solvent	√	232 \pm 3 μ m	42",50", 54",60"	30M
	SMPP	Paper 220g/m ² , No released paper	matte	mild, eco solvent	√	237 \pm 3 μ m	42",50", 54",60"	30M
POSTER PAPER	SMCP	Paper 120g/m ² , No released paper	matte	mild, eco solvent	√	145 \pm 3 μ m	42",50", 54",60"	30M
Backlit Film 9mil	SGBF	PET Film 175 μ m, No released film	glossy	mild, eco solvent	√	200 \pm 3 μ m	42",50", 54",60"	30M
	SMBF	PET Film 175 μ m, No released film	matte	mild, eco solvent	√	205 \pm 3 μ m	42",50", 54",60"	30M
Window Graphic Clear Film (PET)	SGCF/P	Polyester (PET) Film 75 μ m, Clear adhesive, PET 50 μ m	glossy	mild, eco solvent	√	170 \pm 3 μ m	42",50", 54",60"	30M
	SGCF	Polyester (PET) Film 100 μ m, No released film	glossy	mild, eco solvent	√	120 \pm 3 μ m	42",50", 54",60"	30M
POP Display Banner Paper	SGPB	PP Synthetic Paper 170 μ m, No released film	glossy	mild, eco solvent	√	192 \pm 3 μ m	42",50", 54",60"	30M
	SMPB	PP Synthetic Paper 170 μ m, No released film	matte	mild, eco solvent	√	197 \pm 3 μ m	42",50", 54",60"	30M



SMI TECHNOLOGY
EUROPE LIMITED

9 Thorpeness Croft, Tattenhoe, Milton Keynes, Buckinghamshire, MK4 3FF, UK

TEL: +44 (0)1908 340 673 FAX: +44 (0)1908 340 672 info@smitecheurope.com emmanuel@smitecheurope.com

Textile Ink-Jet Media

We have the widest range of textile media suitable with solvent and waterbased inks.

Our textiles are designed to give a photo-realistic print quality and the applications are endless.

1. Standard products For Banner & Exhibition Display Application

classification	product	description						
		base material	surface	water proof	total weight	total thickness	width	length
150 X 150 denier Waterbased (Aqueous)	PES Fabric 150 W	Light Polyester Woven Fabric	matte	√	119g/m ²	186 _μ m	36", 42", 50", 60"	60M(66yds)
	PES Fabric 150 W/FR	Light Polyester Woven Fabric / Fire Retardant	matte	√	147g/m ²	182 _μ m	36", 42", 50", 54", 60"	45.7M(50yds)
150 X 150 denier Solvent-based	PES Fabric 150 S	Light Polyester Woven Fabric	matte	√	131g/m ²	180 _μ m	36", 42", 50", 54", 60"	45.7M(50yds)
	PES Fabric 150 S/FR	Light Polyester Woven Fabric / Fire Retardant	matte	√	142g/m ²	183 _μ m	36", 42", 50", 54", 60"	45.7M(50yds)
150 X 600 denier Waterbased (Aqueous)	PES Fabric 600 W	Heavy Polyester Woven Fabric	matte	√	183g/m ²	250 _μ m	36", 42", 50", 60"	30M(33yds)
	PES Fabric 600 W/FR	Heavy Polyester Woven Fabric / Fire Retardant	matte	√	211g/m ²	260 _μ m	36", 42", 50", 54", 60", 72", 3.2M	30M(33yds)
150 X 600 denier Solvent-based	PES Fabric 600 S	Heavy Polyester Woven Fabric	matte	√	197g/m ²	292 _μ m	36", 42", 50", 54", 60", 72"	30M(33yds)
	PES Fabric 600 S/FR	Heavy Polyester Woven Fabric / Fire Retardant	matte	√	240g/m ²	280 _μ m	36", 42", 50", 54", 60", 72"	30M(33yds)
600 X 600 denier Waterbased (Aqueous)	PES Fabric 900 W	Heavy Polyester Woven Fabric	matte	√	248g/m ²	335 _μ m	36", 50", 60"	30M(33yds)
	PES Fabric 900 W/FR	Heavy Polyester Woven Fabric / Fire Retardant	matte	√	253g/m ²	340 _μ m	36", 50", 60"	30M(33yds)
600 X 600 denier Solvent-based	PES Fabric 900 S	Heavy Polyester Woven Fabric	matte	√	338g/m ²	249 _μ m	36", 50", 60"	30M(33yds)
	PES Fabric 900 S/FR	Heavy Polyester Woven Fabric / Fire Retardant	matte	√	345g/m ²	250 _μ m	36", 50", 60"	30M(33yds)



SMI TECHNOLOGY
EUROPE LIMITED

9 Thorpeness Croft, Tattenhoe, Milton Keynes, Buckinghamshire, MK4 3FF, UK

TEL: +44 (0)1908 340 673 FAX: +44 (0)1908 340 672 info@smitechurope.com emmanuel@smitechurope.com

2. Specialized products

Waterbased (Aqueous) RA	PES Fabric 150 W/RA	Light Polyester Woven Fabric Release PET Film 50 μ m	matte	√	212g/m ²	230 μ m	17", 24", 36", 50", 60"	30M(33yds)
Solvent-based RA	PES Fabric 150 S/RA	Light Polyester Woven Fabric Release PET Film 50 μ m	matte	√	228g/m ²	230 μ m	42", 50", 54", 60"	30M(33yds)
PES Woven Fabric 150 x 150 denier	PES DSF 150 W	For Double sided printing	matte	√	370g/m ²	385 μ m	24",36",60"	30M(33yds)
Knitted Flag 50 denier	PES Knit Flag 50 W	Polyester Knit type Released PP film 50 μ m	matte	√	150g/m ²	350 μ m	24", 36", 50"	30M(33yds)
	PES Knit Flag 50 W/FR	Polyester Knit type Released PP film 50 μ m	matte	√	152g/m ²	350 μ m	24", 36", 50"	30M(33yds)
Taffeta(Pongee) Flag 75 X 75 denier	PES Taffeta Flag 75 W	PES Taffeta Woven Fabric Released PP film 50 μ m	matte	√	90g/m ²	147 μ m	24", 36", 50"	30M(33yds)
	PES Taffeta Flag 75 W/FR	PES Taffeta Woven Fabric Released PP film 50 μ m	matte	√	95g/m ²	147 μ m	24", 36", 50"	30M(33yds)
Textured Non Woven Polyester Banner	Non Woven Banner W	Non Woven Fabric 100g, For Indoor	matte	√	135g/m ²	295 μ m	36",50",60"	30M(33yds)
	Non Woven Banner W/FR	Non Woven Fabric 100g, Fire Retardant, For Indoor	matte	√	183g/m ²	305 μ m	36",50",60"	30M(33yds)

3. Direct Dye Sublimation Fabric

PES Woven Fabric 75 x 75 denier	PES Taffeta 75 D/FR	Polyester Taffeta Woven Fabric	matte	√	65g/m ²	115 μ m	60"(1520mm)	50M(55yds), 100M(110yds)
PES Woven Fabric 75 x 300 denier	PES Satin 300 D/FR	Polyester Satin Woven Fabric	satin	√	176g/m ²	265 μ m	60"(1520mm)	50M(55yds)
PES Woven Fabric 600 x 600 denier	PES Oxford 900 D/FR	Polyester Oxford Woven Fabric	matte	√	219g/m ²	345 μ m	60", 72"(1830mm)	50M(55yds)
PES Woven Fabric 50 denier Knit	PES Knit Flag 50 D/FR	Polyester Knitted Fabric	matte	√	232g/m ²	350 μ m	60", 72"(1830mm)	50M(55yds), 100M(110yds)

4. New Direct dye-sub Fabric

PES Woven Fabric 150 x 150 denier	PES Inflatable Backlit	Polyester Air POP woven Fabric	matte	√	170g/m ²	253 μ m	60"(1520mm)	50M(55yds)
PES Woven Fabric 150 x 300 denier	PES TWILL D	Polyester TWILL Fabric	matte	√	219g/m ²	345 μ m	60"(1520mm)	50M(55yds)
PES Woven Fabric 150 x 150 denier	PES DSF 150 D	For Double sided printing	matte	√	232g/m ²	350 μ m	60"(1520mm)	50M(55yds)
PES Woven Fabric 75 x 75 denier	PES Glossy Taffeta 75 D	Light Polyester Taffeta Fabric	satin	√	63g/m ²	113 μ m	60"(1520mm)	50M(55yds), 100M(110yds)